

09/930 711

cofe



PATENT
9D-DW-19834

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,752,875 B2

Issued: June 22, 2004

Inventors: Kiesler et al.


Assignee: General Electric Company

For: METHODS AND SYSTEMS FOR
WATER DETECTION IN A DISHWASHER

Certificate
OCT 11 2005
of Correction

CERTIFICATE OF MAILING

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October 3, 2005.


Michael Tersillo
Reg. No. 42,180

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450.

REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT UNDER 37 C.F.R. 1.322(a)

Sir:

Attached, in duplicate, is Form PTO/SB/44 with one copy being suitable for printing.

In the Inventors: After "Arjan Johannes Hegeman" delete -- Lynn, MA -- and insert therefor -- Pembroke, NH --.

OCT 14 2005

The correction is not due to any error by applicants and no fee is due.

The Assignment for this patent is recorded on Reel 012567/ Frame 0740.

Respectfully submitted,

Date: _____

10/3/05



Michael Tersillo
Reg. No. 42,180
ARMSTRONG TEASDALE LLP
One Metropolitan Square, Suite 2600
St. Louis, Missouri 63102-2740
(314) 621-5070

Approved for use through 04/30/2007. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,752,875 B2
DATED : June 22, 2004
INVENTORS(S) : Kiesler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Inventors: After "Arjan Johannes Hegeman" delete -- Lynn, MA -- and insert therefor --
Pembroke, NH --.

MAILING ADDRESS OF SENDER:

Michael Tersillo
Armstrong Teasdale LLP
One Metropolitan Sq., Suite 2600
St. Louis, MO 63102

PATENT NO. 6,752,875 B2

No. of additional copies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

OCT 14 2005



PATENT
9D-DW-19834


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,752,875 B2
Issued: June 22, 2004
Inventors: Kiesler et al.
Assignee: General Electric Company
For: METHODS AND SYSTEMS FOR
WATER DETECTION IN A DISHWASHER

:
:
:
:
:
:
:
:
:
:
:
:

CERTIFICATE OF MAILING

I certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on October 3, 2005.


Michael Tersillo
Reg. No. 42,180

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450.

REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT UNDER 37 C.F.R. 1.322(a)

Sir:

Attached, in duplicate, is Form PTO/SB/44 with one copy being suitable for printing.

In the Inventors: After "Arjan Johannes Hegeman" delete -- Lynn, MA -- and insert therefor -- Pembroke, NH --.

OCT 14 2005

The correction is not due to any error by applicants and no fee is due.

The Assignment for this patent is recorded on Reel 012567/ Frame 0740.

Respectfully submitted,

Date: _____

10/3/05



Michael Tersillo
Reg. No. 42,180
ARMSTRONG TEASDALE LLP
One Metropolitan Square, Suite 2600
St. Louis, Missouri 63102-2740
(314) 621-5070

Approved for use through 04/30/2007. OMB 0651-0033 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,752,875 B2

DATED : June 22, 2004

INVENTORS(S) : Kiesler et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Inventors: After "Arjan Johannes Hegeman" delete -- Lynn, MA -- and insert therefor --
Pembroke, NH --.

MAILING ADDRESS OF SENDER:

Michael Tersillo
Armstrong Teasdale LLP
One Metropolitan Sq., Suite 2600
St. Louis, MO 63102

PATENT NO. 6,752,875 B2

No. of additional copies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

OCT 14 2005